



Beta-Pak

Smart Packaging



We shape your future with our expertise.



Long-term view to the future

Geleceğe uzun vadeli bakış

About Us / Hakkımızda

With our 26 years of experience, we are producing at international standards in terms of performance and sustainability, prioritizing R&D activities with our 200 personnel in our 12.000m2 new technological facility, which has adopted quality and advanced technology. We are a family that has been awarded with turn-key Process Forming, Filling, Packaging and Service Solutions from a single source to 85 countries in 5 continents and renews the goals we have achieved day by day.

Our Vision / Vizyonumuz

To become one of the leading machinery manufacturers in the sector, with a principled approach on the basis of innovation, keeping customer and employee happiness at the forefront, constantly expanding its sales volume and sphere of influence, having high representation ability, profitable and sustainable.

Our Mission / Misyonumuz

In the food packaging sector, in line with the expectations and needs of the customers, it is to provide superior service in a pioneering, innovative, reliable and efficient manner in sales and after-sales services, prioritizing food hygiene.

Our Values / Değerlerimiz


Honesty
Reliability
Passion
Devotion
Truth
Transparency
Bravery
Mercy
Stability
Keeping Promise
Success
Humility
Sustainable
Nature Conservation

26 yıllık tecrübemizle kalite ve ileri teknolojiyi benimsemiş, 12.000m2 yeni teknolojik tesisimizde, 200 personelimiz ile AR-GE faaliyetlerini ön planda tutan, performans ve sürdürülebilirlik konusunda uluslararası standartlarda üretim gerçekleştiriyoruz. Tek kaynaktan anahtar teslim Proses Formlama, Dolum, Paketleme ve Servis Çözümlerini 5 kıtada 85 ülkeye gerçekleştirdiğimiz hizmetler ile ödüllere layık görülen ve her geçen gün başarmış olduğumuz hedefleri yenileyen bir aileyiz.

Yenilikçilik temelinde ilkeli yaklaşımlarla, müşteri ve çalışan mutluluğunu ön planda tutan, satış hacmini ve etki alanını sürekli genişleten, yüksek temsil kabiliyetine sahip, karlı, sürdürülebilir, sektöründe öncü makine üreticilerinden biri haline gelmek.

Gıda ambalaj sektöründe, müşterilerin beklentisi ve ihtiyaçlarının paralelinde, gıda hijyenini ön planda tutan, satış ve satış sonrası hizmetlerinde sektöründe öncü, yenilikçi, güvenilir ve verimli biçimde üstün hizmet sunmaktır.

Dürüstlük
Güvenilirlik
Tutku
Özveri
Doğruluk
Şeffaflık
Cesaret
Merhamet
Kararlılık
Söz Tutma
Başarı
Tevazu
Sürdürülebilir
Çevresel Koruma



+26 YEARS / YIL **+200 EXPERT / UZMAN** **+85 COUNTRY / ÜLKE** **+2100 MACHINE / MAKİNE**

Together we are stronger / Birlikte daha güçlüyüz

More than 2100 Betapak packaging machines have been used safely in 85 countries on 5 continents for more than 26 years. We are honored to see you as a part of our family. We are happy to answer your questions, wherever you are, 24 hours all week with our more than 200 experts. You can contact our sales network, professional support unit or representative unit at any time.

5 kıtada, 85 ülkede, 2100den fazla Betapak paketleme makinesini 26 yılı aşkın süredir güvenle kullanılıyor. Sizde ailemizin bir parçası olarak görmekten onur duyarız. Size 200'den fazla uzmanımız ile 24 saat tüm hafta nerede olursanız olun sorularınızı yanıtlamaktan mutluluk duyarız. Dilediğiniz zaman satış ağıımız, profesyonel destek birimimiz veya temsilcilik birimimiz ile iletişime geçebilirsiniz.

Packaging Solutions / Paketleme Çözümleri

Forming, filling, packaging

Formlama, dolum, paketlenme

Which product do you like to pack ?

/ Hangi ürünü paketlemek istersiniz ?



Packaging of Food and Beverages /

Gıda ve İçeceklerin Paketlenmesi

We offer high-performance solutions covering the entire process chain for the processing, filling and packaging of all liquid and solid products.

Sıvı ve katı gıda ürünlerinin dolumu ve paketlenmesine yönelik tüm proses zincirini kapsayan yüksek performanslı çözümler sunuyoruz.

Packaging of Medical Products /

Medikal Ürünlerin Paketlenmesi

Our packaging solutions for medical sterile products have been created from start to finish with the highest standards in mind for maximum product protection.

Medikal steril ürünler için paketlenme çözümlerimiz standartlara uygun olarak maksimum ürün koruması için oluşturulmuştur.



Available Range / Kullanım Aralıkları

Thermoform Packaging
Machines with Chain
Zincirli Termoform Ambalaj Makineleri



	Bpz Jr	Z 105	Bpz 400	Bpz 400 Max	Joy Box Line		Bpz Medical
Applications Ürün Tipi	Sausage, Cheese, etc. Sosis, Sucuk, Peynir, vb.	Sausage, Cheese, etc. Sosis, Sucuk, Peynir, vb.	Dairy Desserts, Bakery Products, etc. Sütlü Tatlılar, Unlu Mamüller vb.	Dairy Desserts, Bakery Products, etc. Sütlü Tatlılar, Unlu Mamüller vb.	Joy Box Line Suprise Egg - Toy Süpriz Yumurta - Oyuncak	Bpz 400 Suprise Egg - Toy Süpriz Yumurta - Oyuncak	Medical Products, Drugs, etc. Medikal Ürünler, İlaçlar, vb.
Capacity Kapasite	5 - 7 cycle/min. 5 - 7 vuruş/dk.	6 - 8 cycle/min. 6 - 8 vuruş/dk.	6 - 12 cycle/min. 6 - 12 vuruş/dk.	6 - 12 cycle/min. 6 - 12 vuruş/dk.	18 - 20 cycle/min. 18 - 20 vuruş/dk.	18 - 20 cycle/min. 18 - 20 vuruş/dk.	10 - 14 cycle/min. 10 - 14 vuruş/dk.
Packaging Type	Map/Simple Hermetic/Vacuum	Map/Simple Hermetic/Vacuum	Map/Simple Hermetic/Vacuum	Map/Simple Hermetic/Vacuum	-	-	Simple Hermetic / Vacuum
Shape Depth Şekil Derinliği	max. 75mm.	max. 90mm.	Standart: max. 80mm. Special: max. 150mm. Standart: max. 80mm. Özel: max. 150mm.	max. 80mm.	-	max. 40mm.	max. 80mm.
Film Widths Film Genişliği	200 - 422mm.	250 - 422mm.	250 - 460mm.	250 - 600mm.	250 - 400mm.	250 - 400mm.	250 - 462mm.
Film Thickness Film Kalınlığı	100 - 200µm.	120 - 700µm.	120 - 1200µm.	120 - 1200µm.	-	-	80 - 700µm.
Bottom Film Alt Film	PA+PE	PA+PE / PVC+PE / PET+PE	PA+PE / PVC+PE / PET+PE	PA+PE / PVC+PE / PET+PE	PVC+PE / PET+PE	PVC+PE / PET+PE	PA+PE / PVC+PE / PET+PE
Top Film (customizable) Üst Film (özelleştirilebilir)	PA+PE	PA+PE	PA+PE	PA+PE / ALU / PAPER+PE	-	PA+PE	PA+PE / ALU / PAPER+PE / MED. PAPER / TYVEK+PE
Reel Diameter Bobin Çapları	Bottom: max. 300mm. Top: max. 200mm. Alt: max. 300mm. Üst: max. 200mm.	Bottom: max. 400mm. Top: max. 300mm. Alt: max. 400mm. Üst: max. 300mm.	Bottom: max. 400mm. Top: max. 300mm. Alt: max. 400mm. Üst: max. 300mm.	Bottom: max. 400mm. Top: max. 300mm. Alt: max. 400mm. Üst: max. 300mm.	Bottom: max. 400mm. Top: max. 300mm. Alt: max. 400mm. Üst: max. 300mm.	Bottom: max. 400mm. Top: max. 300mm. Alt: max. 400mm. Üst: max. 300mm.	Bottom: max. 400mm. Top: max. 300mm. Alt: max. 400mm. Üst: max. 300mm.
Reel Core Diameter Bobin Göbek Çapı	76mm.	76mm.	76mm.	76mm.	76mm.	76mm.	76mm.
Machine Dimensions (approx) Makine Ölçüleri (yaklaşık)	2750x1200x2000mm.	4750mm.	5750x8000mm.	6000x12000mm.	5000mm	6000x12000mm.	5000x12000mm.
Stations Drive Type İstasyonlar Tahrik Tipi	Piston Pistonlu	Piston Pistonlu	Serve Engine / Piston Servolu / Pistonlu	Serve Engine / Piston Servolu / Pistonlu	Serve Engine / Piston Servolu / Pistonlu	Serve Engine / Piston Servolu / Pistonlu	Serve Engine / Piston Servolu / Pistonlu
Cutting Process Kesme Prosesi	Guillotine Cutting Giyotin Kesim	Guillotine / Punch / Elips Cutting Giyotin / Punch / Elips Kesim	Guillotine / Punch / Elips / Perforation / Mold Cutting Giyotin / Punch / Elips / Perfore / Kalıplı Kesim	Guillotine / Punch / Elips / Perforation / Mold Cutting Giyotin / Punch / Elips / Perfore / Kalıplı Kesim	Mold Cutting Kalıplı Kesim	Guillotine Cutting Giyotin Kesim	Guillotine / Perforation / Mold Cutting Giyotin / Perfore / Kalıplı Kesim
Cooling Water Soğutma Suyu	12 - 16 C / 2500Kcal / hour 12 - 16 C / 2500Kcal / saat	12 - 16 C / 2500Kcal / hour 12 - 16 C / 2500Kcal / saat	12 - 16 C / 2500Kcal / hour 12 - 16 C / 2500Kcal / saat	12 - 16 C / 2500Kcal / hour 12 - 16 C / 2500Kcal / saat	12 - 16 C / 2500Kcal / hour 12 - 16 C / 2500Kcal / saat	12 - 16 C / 2500Kcal / hour 12 - 16 C / 2500Kcal / saat	12 - 16 C / 2500Kcal / hour 12 - 16 C / 2500Kcal / saat
Electrical Values Elektrik Tüketim	Max. 10kW - 380V	Max. 10kW - 380V	Max. 15kW - 380V	Max. 18kW - 380V	Max. 10kW - 380V	Max. 15kW - 380V	Max. 15kW - 380V
Compressed Air Basınçlı Hava	6 bar - min. 1200L / min.	6 bar - min. 1200L / min.	6 bar - min. 1200L / min.	6 bar - min. 1200L / min.	6 bar - min. 1200L / min.	6 bar - min. 1200L / min.	6 bar - min. 1200L / min.


Bpz Jr Starter Series / Başlangıç Serisi

Full Automatic Thermoform Packaging Machine with Chain
Tam Otomatik Zincirli Termoform Ambalaj Makinası



Bpz 400 Max

Full Automatic Thermoform Packaging Machine with MAP Application
Tam Otomatik Zincirli MAP Uygulamalı Termoform Ambalaj Makinası



Z 105 Starter Series / Başlangıç Serisi

Full Automatic Thermoform Packaging Machine with MAP Application
Tam Otomatik Zincirli MAP Uygulamalı Termoform Ambalaj Makinası




Joy Box Line

Full Automatic Thermoform Packaging Machine
Tam Otomatik Zincirli Termoform Ambalaj Makinası



Filling Unit / Dolum Ünitesi



Packaging Unit / Paketleme Ünitesi


Bpz 400

Full Automatic Thermoform Packaging Machine with MAP Application
Tam Otomatik Zincirli Termoform Ambalaj Makinası



Bpz 400 Medical

Full Automatic Thermoform Packaging Machine with Chain
Medikal Tam Otomatik Zincirli Termoform Ambalaj Makinası




Available Range /

Kullanım Aralıkları

Thermoform Packaging
Machines

Termoform Ambalaj Makineleri



	Bpt Jr	Bpt-P Series	Bpt-S Series	Bpt-Y Series	Bpt-Y IML Series
Applications Ürün Tipi	Ketchup, Mayonnaise, Jam, Honey, Sauce, Butter, etc. Ketçap, Mayonel, Reçel, Bal, Sos, Tereyağı, vb.	Ketchup, Mayonnaise, Jam, Honey, Sauce, Butter, etc. Ketçap, Mayonel, Reçel, Bal, Sos, Tereyağı, vb	Water, Water Juice, Lemonade, etc. Su, Meyve Suyu, Limonata, vb.	Yoghurt, Fruit Yoghurt, etc. Yoğurt, Meyveli Yoğurt, vb.	Yoghurt, Fruit Yoghurt, etc. Yoğurt, Meyveli Yoğurt, vb.
Capacity Kapasite	18 - 22 cycle/min. 18 - 22 vuruş/dk.	Piston: 18 - 22 cycle/min. Servo: 24 - 28 vuruş/dk.	Piston: 18 - 22 cycle/min. Servo: 24 - 28 vuruş/dk.	20 - 28 cycle/min. 20 - 28 vuruş/dk.	24 - 25 cycle/min. 24 - 25 vuruş/dk.
Packaging Type	Simple Hermetic	Simple Hermetic	Simple Hermetic	Simple Hermetic	Simple Hermetic
Shape Depth Şekil Derinliği	max. 50mm.	max. 90mm.	max. 90mm.	max. 90mm.	max. 90mm.
Film Widths Film Genişliği	200 - 280mm.	220 - 410mm.	330 - 420mm.	220 - 410mm.	220 - 410mm.
Film Thickness Film Kalınlığı	350 - 700µm.	400 - 1200µm.	350 - 800µm.	600 - 1500µm.	600 - 1500µm.
Bottom Film Alt Film	PVC / PS / PET	PVC / PS / PET	PET	PS	PS
Top Film (customizable) Üst Film (özelleştirilebilir)	AL+OPP / AL	AL+OPP / AL	ALU / ALU+PET	ALU / OPP / MIXPAP/ AL+THERMOLAC	ALU / OPP / MIXPAP/ AL+THERMOLAC
Reel Diameter Bobin Çapları	Bottom: max. 350mm. Top: max. 200mm. Alt: max. 350mm. Üst: max. 200mm.	Bottom: max. 1000mm. Top: max. 300mm. Alt: max. 1000mm. Üst: max. 300mm.	Bottom: max. 1000mm. Top: max. 300mm. Alt: max. 1000mm. Üst: max. 300mm.	Bottom: max. 1000mm. Top: max. 300mm. Alt: max. 1000mm. Üst: max. 300mm.	Bottom: max. 1000mm. Top: max. 300mm. Alt: max. 1000mm. Üst: max. 300mm.
Reel Core Diameter Bobin Göbek Çapı	76mm.	76mm.	76mm.	76mm.	76mm.
Machine Dimensions (approx) Makine Ölçüleri (yaklaşık)	2200x1200x2000mm.	6000x1200x2000mm.	9500x6000mm.	8000x1500x2500mm.	8000x1500x2500mm.
Stations Drive Type İstasyonlar Tahrik Tipi	Piston Pistonlu	Serve Engine / Piston Servolu / Pistonlu	Serve Engine / Piston Servolu / Pistonlu	Serve Engine Servolu	Serve Engine Servolu
Cutting Process Kesme Prosesi	Mold Cutting Kalıplı Kesim	Mold / Perforation Cutting Kalıplı Kesim / Perfore Kesim	Mold Cutting Kalıplı Kesim	Mold / Perforation Cutting Kalıplı Kesim / Perfore Kesim	Mold / Perforation Cutting Kalıplı Kesim / Perfore Kesim
Cooling Water Soğutma Suyu	12 - 16 C / 2500Kcal / hour 12 - 16 C / 2500Kcal / saat	12 - 16 C / 5000Kcal / hour 12 - 16 C / 5000Kcal / saat	12 - 16 C / 6000Kcal / hour 12 - 16 C / 6000Kcal / saat	12 - 16 C / 6000Kcal / hour 12 - 16 C / 6000Kcal / saat	12 - 16 C / 6000Kcal / hour 12 - 16 C / 6000Kcal / saat
Electrical Values Elektrik Tüketim	Max. 15kW - 380V	Max. 15kW - 380V	Max. 18kW - 380V	Max. 18kW - 380V	Max. 18kW - 380V
Compressed Air Basınçlı Hava	6 bar - min. 1500L / min.	6 bar - min. 3000L / min.	6 bar - min. 3000L / min.	6 bar - min. 3000L / min.	6 bar - min. 3000L / min.


Bph-S Lineer

Full Automatic Tray Sealer (Cup Filling) Machine
Tam Otomatik Hazır Kap Dolum Makinesi



Bpt-S Series


Full Automatic Thermoform Packaging Machine
Tam Otomatik Termoform Ambalaj Makinesi



Pick & Place / Robotlar Case Elector / Koli Açma Case Sealer / Koli Kapama

Bpt Jr Starter Series / Başlangıç Serisi

Full Automatic Thermoform Packaging Machine
Tam Otomatik Termoform Ambalaj Makinesi



Bpt-Y Series

Full Automatic Thermoform Packaging Machine
Tam Otomatik Termoform Ambalaj Makinesi



Bpt-P Series

Full Automatic Thermoform Packaging Machine
Tam Otomatik Termoform Ambalaj Makinesi



Bpt-Y IML Series

Full Automatic Thermoform In Mould Labeling Packaging Machine
Tam Otomatik Termoform Etiketli Ambalaj Makinesi



Bpt Complete Line & High Capacity


Full Automatic Thermoform Packaging Machine
Tam Otomatik Otomatik Ambalaj Makinesi



Custom Solutions / Özel Çözümler

30
Cavities
Gözlü

50.000
packs/h.
vuruş/saat




14 - 15

Betapak Robotics / Betapak Robotlar

High quality integrated packaging solutions from a single source
for your diverse packaging needs


Farklı paketleme ihtiyaçlarınız için tek kaynaktan yüksek kaliteye sahip
entegre paketleme çözümleri



Pick & Place
Robotlar




Case Elector
Koli Açma



Case Sealer
Koli Kapama

Betapak Filling Systems

Betapak Dolum Sistemleri
Ultra Clean - CIP - SIP - OPC




Compliance with the quality standards valid all over the world is taken into account in all our machines that we produce. It aims to change food filling and packaging habits by developing filling systems suitable for today's production processes such as sterile, hygiene and long shelf life, as well as ergonomic design with efficiency energy values.


Üretimini yaptığımız , tüm makinalarımızda , tüm dünyada geçerli kalite standartlarına uygunluk dikkate alınmaktadır. Bununla ilgili verimlilik enerji değerleri ergonomik tasarım kadar , steril, hijyen, uzun raf ömrü gibi günümüz üretim proseslerine uygun dolum sistemleri geliştirerek , gıdada dolum ve paketleme alışkanlıklarını değiştirmeyi hedeflemiştir.

Opening & Hanging Styles / Açma & Asma Stilleri


The finishing touch / Son dokunuş




Peel Corner with Dimple /
Kolay Açma




Euro Hole Version 1 /
Versiyon 1



Bend & Peel / Köşe Kırmalı Açma



Dot Relief /
Nokta Kabartma



Hang-up Hole Version 2 /
Versiyon 2



Beta-Pak

Smart Packaging

Betapak Makine A.Ş.

Özar Sanayi Bölgesi, Deliklikaya Mh. Elmadağ Cd. No.33
34555 Arnavutköy / İstanbul / Türkiye

+90 212 597 69 90 PBX

info@betapak.com

betapak.com

